Gmel, G. 931
Goldstein, A. L. 185
Goncy, E. A. 288
González-Saiz, F. 452
Goodie, A. S. 810
Gosselt, J. F. 423
Gottfredson, N. C. 576
Grant, J. D. 664
Gratz, K. L. 552
Green, A. E. 825
Greenfield, B. L. 514
Grohman, K. 674
Gruenewald, P. J. 50
Guerette, R. T. 205

Haber, J. R. 136
Hagler, K. J. 514
Hall, S. M. 301
Handley, E. D. 684
Haning, W. 447
Hartwell, E. 797
Havens, J. R. 386
Heath, A. C. 337, 406, 664, 703
Heeren, T. 353*
Henriksen, C. A. 185
Hickling, E. J. 917
Hillhouse, M. P. 605
Holloman, Jr., G. 552
Holloway, I. 589
Holzer, B. M. 484
Howland, J. 41
Huang, M.-C. 559
Huang, Z. 727
Huestis, M. A. 447
Hughes, T. L. 565
Huh, J. 727
Hultgren, B. 30
Hummer, J. F. 841
Humphreys, K. 889
Hung, G. C.-L. 559
Hunter, S. B. 736
Hussong, A. M. 576
Hutchison, K. E. 141, 233

Iguchi, M. Y. 158
Ivey, M. 642

Jackson, C. 694
Jackson, K. M. 41
Jacob, T. 136
Jacques-Tiura, A. J. 223
Jenkins, R. G. 598
Jensen, A. C. 104
Jiantonio, R. E. 245
Jiao, Y. 521
Johansen, G. E. 635
Johnson, M. 280
Johnson, T. P. 565
Jones-Webb, R. J. 9
Julkunen, J. 894
Justice, A. C. 500

Kalmijn, J. 271
Karriker-Jaffe, K. J. 532
Kaskutas, L. A. 965
Kaufman, J. S. 152
Kaysen, D. L. 168
Kelly, A. B. 396
Kennedy, C. 94
Kenney, S. R. 841
Kiekel, P. A. 223
Kilmer, J. R. 479
Kim, S.-Y. 521
Kimber, M. 185
Kirlic, N. 447
Kiselica, A. M. 490
Knopik, V. S. 867
Knudsen, H. K. 258
Kreusch, F. 923
Krull, J. L. 552
Krystal, J. H. 245, 622

LaBrie, J. W. 841
Lac, A. 841
LaGasse, L. L. 447
Lahti, J. 894
Langdon, K. J. 469
Lau, C. G. 460
Lau, P. 320
Lau-Barraco, C. 413
Laudet, A. 965
Lee, C. M. 479
Lee, H.-J. 552
Lehrbach, M. P. 917
Lenk, K. M. 777
Leonard, K. 674
Lester, B. M. 447
Leventhal, A. M. 469
Lewis, M. A. 168
Liang, H. J. 460
Liao, Y. 727
Libman, H. 266
Lima, C. T. 212
Linden, A. N. 413
Ling, W. 605
Lisman, S. A. 635
Litt, D. M. 168
Little, F. 879
Littlefield, A. K. 21
Liu, H. 9, 301
Loeffler, G. 816*
London, L. 879
Longabaugh, R. 770
Lopez-Meyer, P. 956
Lozano, O. M. 452
Luo, X. 622
Lynch, K. G. 642
Lynskey, M. T. 337, 406

MacKillop, J. 626, 810
Madden, P. A. F. 337, 406, 664
Maggs, J. L. 104
Magura, S. 378
Mair, C. 50
Maisel, N. C. 889
Maisto, S. A. 500
Mallett, K. A. 30, 84, 542, 765
Marino, E. N. 605
Marquez, C. 205
Martens, M. P. 21
Martin, J. A. 605
Martin, N. G. 664, 703
Martinez-Papponi, B. 514
Mazok, C. 879
McCabe, S. E. 714
McGeary, J. 867
McGinnis, K. A. 500
McHugh, R. K. 152
McKay, J. R. 642
McLoughlin, J. 879
Mello, M. J. 770
Merrill, J. E. 757
Messman-Moore, T. L. 941
Metrik, J. 867
Mewton, L. 614
Miazga, M. J. 777
Miles, J. N. V. 736, 835
Miller, B. A. 280
Miller, J. D. 810
Miller, P. M. 598
Milletich, R. J. 413
Minder, C. E. 484
Moallem, N. 797
Moan, I. S. 114
Mohler-Kuo, M. 931
Moos, R. H. 965
Morgan, M. 233
Morrison, D. M. 223
Mrug, S. 288
Mueller, S. 484
Mulia, N. 9
Mun, E.-Y. 521, 787
Munn-Chernoff, M. A. 664
Murphy, J. G. 626
Myers, M. G. 909

Narayanan, B. 245
Neal, C. R. 447
Neighbors, C. 361, 479
Nelson, T. F. 777
Nemeth, L. S. 598
Newman, E. 447
Nielsen, S. 605
Nietert, P. J. 598
Ninnemann, A. 977*
Nirenberg, T. 770
Norberg, M. M. 803
Norris, J. 223
Norström, T. 114

O'Grady, K. E. 71
Ober, A. J. 835
Ornstein, S. M. 598
Orrange-Torchia, T. 674
Osilla, K. C. 736

Packard, C. D. 94
Palmer, R. H. C. 867
Parry, C. 879
Pasche, S. C. 950
Pearlson, G. D. 245
Pedersen, E. R. 736

Pentz, M. 727
Perngparn, U. 311
Peterson, E. 674
Pham, A. 841
Piasecki, T. M. 41
Pitre, N. Y. 185
Ponicki, W. R. 50
Post, S. 349
Potter, J. S. 605
Prince, M. 212
Prochaska, J. J. 301

Quertemont, E. 923

Ramchand, R. 158
Ramo, D. E. 301
Ranney, M. L. 125
Ray, L. A. 797
Read, J. P. 757
Reboussin, B. A. 354*
Remer, L. 50
Rennert, L. 642
Richardson, A. E. 41
Richmond-Rakerd, L. S. 703
Rieckmann, T. 258
Rodriguez, L. M. 361
Rohsenow, D. J. 41
Roman, P. M. 258
Room, R. 859
Rosenfield, D. 469
Rosset, N. 484
Roth, J. 965
Ruttle, P. L. 746

Saba, L. 622
Saitz, R. 266
Samet, J. H. 266
Santucci, C. 349
Saxon, A. J. 605
Sazonov, E. 956
Scaglione, N. M. 30, 765
Schaetti, G. 484
Schmidt, L. 9
Schroder, K. E. E. 902
Schry, A. R. 803
Schuckit, M. A. 5, 271, 661
Schumacher, J. A. 552
Schweizer, C. A. 909
Shah, R. 447
Sheppard, S. C. 917
Sher, K. J. 21
Silvestri, M. M. 329
Simpson, C. A. 902
Sinclair, J. M. A. 950
Slade, T. 614
Slutske, W. S. 703
Smith, L. M. 447
Smith, T. L. 271
Smolenski, D. J. 852
Song, E.-Y. 354*
Spear, L. P. 635
Stappenbeck, C. A. 223
Steeves, D. 469
Steinberg, M. L. 584
Stellefson, M. L. 509
Stephens, D. B. 386
Stevens, M. C. 245
Stewart, S. 469
Storvoll, E. E. 114
Strauman, T. J. 746
Strauss, A. 447
Stuart, G. L. 977*
Studer, J. 931
Szalacha, L. A. 565
Sznitman, S. R. 437

Tabakoff, B. 622
Tang, A. 460
Tang, W. K. 460
Taylor, E. A. 941
Teesson, M. 614
Tiffany, S. 956
Timko, C. 965
Todd, M. 195
Tonigan, J. S. 378, 514
Toomey, T. L. 777, 852
Toumbourou, J. W. 396
Traube, D. 589
Tsui, J. I. 266
Tucker, J. A. 902
Tucker, J. S. 835
Turrisi, R. 30, 84, 542, 765

Udo, T. 787
Ungvari, G. S. 460

Van Beijsterveldt, C. E. M. 59
Van Hoof, J. J. 423
Van Horn, D. 642
Varvil-Weld, L. 30, 542
Vaschillo, B. 787
Vaschillo, E. G. 787
Veliz, P. 714
Venner, K. L. 514
Verdejo García, A. 452
Vergara-Moragues, E. 452
Vermont, L. N. 757
Vilenne, A. 923
Vincent, K. B. 71
Vink, J. M. 59
Voas, R. 280
Vuoristo-Myllys, S. 894

Wade, T. D. 664
Wagenaar, A. C. 852
Waldron, M. 337
Walker, D. D. 479
Wall, T. L. 909
Walton, M. A. 125
Wang, K. 622
Wang, T. 320
Ward, R. M. 941
Weingardt, K. R. 428
Weiss, R. D. 152
Wessell, A. M. 598
White, H. R. 84, 521
Whiteman, S. D. 104
Whiteside, L. K. 125
Wiest, K. 605
Wilcox, C. E. 233
Wilhelmsen, K. C. 320
Williams, J. M. 584
Williams, L. 120
Wilsnack, S. C. 565
Winick, E. R. 71
Winters, K. C. 777
Witmer, K. A. 941
Wolfson, M. 354*

Yip, P. S. F. 559
Yurasek, A. M. 626

Zawacki, T. 223
Zemore, S. E. 9, 532
Zhang, J. 589
Zhang, X. 622
Zimmerli, L. 484
Zimmerman, M. A. 125
Zuo, L. 622
Zvolensky, M. J. 469

ANNUAL INDEX: VOLUME 74, 2013

Subjects

NOTE: References to Editor's Corner are marked with a * and to correspondence by a †.

AA (Alcoholics Anonymous)
  evaluating Alcoholics Anonymous' effect on drinking within Project MATCH (Matching Alcoholism Treatments to Client Heterogeneity), 378–384
  nondrinking social network, creating a, 811
  urban American Indians and 12-step programs, 514–520
Academic load and Thursday night alcohol consumption among female college students, patterns of, 941–948
Acute alcohol use (AAU) as risk factor for attempting suicide, 552–557
Acute and chronic effects of alcohol on underage drinkers, 635–640
Ad Council, 206
Adderall, adolescent athletic participation and nonmedical use of, 714–718
Addiction, 5
Addiction Severity Index, 388, 644
ADHD, 457
Adolescents
  acute and chronic effects of alcohol on underage drinkers, 635–640
  alcohol-specific parenting as predictor of adolescent alcohol use initiation, 684–692
  athletic participation and nonmedical Adderall use, 714–718
  causal influence of age at first drink on alcohol involvement in adulthood and its moderation by familial context, 703–712
  child welfare–involved youths, higher rates of substance use in, 825–832
  childhood maltreatment and depression, illicit substance use, and sexual risk behavior, 589–596
  developmental prediction model for early alcohol initiation in Dutch, 59–68
  early risk factors for alcohol use across high school and its covariation with deviant friends, 746–754
  family conflict and heavy alcohol use among adolescent girls, depressed mood and, 396–403
  fathers' alcohol problems affecting development of effortful control in early adolescence, 674–682
  inhalant initiation risks for middle school students, 835–838
  mental health symptoms and drinking among at-risk adolescents, perceived norms affecting, 736–743
  tobacco use, alcohol use, and marijuana use, comparisons by age, gender, and race, 288–299
  underage alcohol sales, 423–427
Adverse Childhood Experiences (ACE) study, 199, 560
Adverse childhood experiences as risk factor for Chinese alcoholics attempting suicide, 559–563
Affect variation and increased alcohol use for college students, 576–582
Affordable Care Act, 262–264
African ancestry families, alcoholism and timing of parental separation, 337–346
Akaike Information Criterion (AIC), 86, 200, 226, 545, 730, 782, 881
Al-Anon Family Groups (Al-Anon), 965–974
Alanine aminotransferase (ALT), 266–269
Alco-Sensor III breath alcohol analyzer, 509
Alco-Sensor IV breath alcohol analyzer, 509, 510
Alcohol consumption, measuring, 500–503
Alcohol dependence (AD)
  binge eating, and compensatory behaviors, 664–672
  exome-wide association of replicable nonsynonymous variants as risk for, 622–625
  genetic variation in alpha synuclein gene (*SNCA*) associated with blood oxygenation level–dependent (BOLD) response to alcohol cues, 233–243
  positive affect and stress reactivity in alcohol-dependent outpatients, 152–156
  symptoms of, 11
  Type D personality and, 120–123
Alcohol Dependence Scale (ADS), 234, 516, 903
Alcohol Expectancies Questionnaire (AEQ), 225, 767, 923–924, 925–926, 928–929
Alcohol expectancy theory, 224
Alcohol-impaired driving (AID)
  bystander intervention in the prevention of alcohol-impaired driving (AID), mass media campaign effect on, 205–211
  designated drivers (DD), breath alcohol concentrations (BrACs) of, 509–512
Alcohol myopia, 224
Alcohol outlet densities and violent assaults, 50–58
Alcohol purchase tasks (APTs), 491, 492, 627, 628
Alcohol-related consequences
  alcohol use and alcohol-related negative consequences among Black and White college men and women, associations between, 521–529
  college students experiencing excessive, 542–549
  Timeline Followback, alcohol-related consequences for college students measured by modified, 803–809
Alcohol-related disorders (ARDs), job strain, and hazardous drinking among Brazilian bank workers, 212–221
Alcohol risk, mental health, and sleep behavior in college students, 841–847
Alcohol-specific parenting
  adolescent alcohol use initiation, predictor of, 684–692
  and children's susceptibility to alcohol use initiation, 694–701
Alcohol Urge Questionnaire (AUQ), 799
Alcohol Use Disorder and Associated Disabilities Interview Schedule–DSM-IV (AUDADIS-IV), 187–188
Alcohol use disorders (AUDs), 258–259
  alcohol-specific parenting as predictor of adolescent alcohol use initiation, 684–692
  childhood maltreatment, alcohol use disorders, and treatment utilization in emerging adults, 185–192
  craving, severity of alcohol problem and, 950–955
  independent depressive episodes (IDEs), substance-induced depression, and alcohol use disorders (AUDs), 271–278
  medications for AUDs in primary care settings, 598–604

psychiatric morbidity and problem drinking in midlife, link between, 136–139
severity of AUD and behavioral control, 141–149
stimulant use, religiosity, and the odds of developing or maintaining an alcohol use disorder over time, 369–376
suicidal ideation (SI) in young women, co-occurrence of AUDs and, 406–411
suicide attempts, AUDs as risk factor for, 553–553
Alcohol Use Disorders Identification Test (AUDIT), 97, 99–101, 142, 214, 215, 219, 234, 311, 636, 771–773, 775–776, 811, 925, 943, 951
Alcohol Use Disorders Identification Test–consumption (AUDIT-C), 428, 430, 434, 510, 511–512, 773, 775
Alcohol use initiation
alcohol involvement in adulthood and early age of, 703–712
alcohol-specific parenting as predictor of adolescent alcohol use initiation, 684–692
Dutch adolescents, developmental prediction model for early alcohol initiation in, 59–68
socialization and children's susceptibility to alcohol use initiation, 694–701
Alcoholics Anonymous (AA)
evaluating Alcoholics Anonymous's effect on drinking within Project MATCH (Matching Alcoholism Treatments to Client Heterogeneity), 378–384
nondrinking social network, creating a, 811
urban American Indians and 12-step programs, 514–520
ALDH2 genotype, 911
Alpha synuclein gene (*SNCA*) associated with blood oxygenation level–dependent (BOLD) response to alcohol cues, genetic variation in, 233–243
Ambulance service users, patient characteristics and patterns of intoxication of, 484–489
American Community Survey, 12
American Foundation for Suicide Prevention, 554
American Indians in urban areas and 12-step programs, 514–520
American Psychological Association, 415
American Society of Addiction Medicine Level 1 structured outpatient services, 259
Analyses of covariance (ANCOVAs), 586, 629, 630
Analyses of variance (ANOVAs), 646, 677, 722, 926–927
Anhedonic depressive symptoms, anxiety sensitivity, and nicotine withdrawal symptoms, 469–477
Anonymity in reporting alcohol misuse in the military, 917–921
Antisocial Behavior Checklist, 676
Anxiety, 414
alcohol use and, 566
anhedonic depressive symptoms, anxiety sensitivity, and nicotine withdrawal symptoms, 469–477
mental health symptoms and drinking among at-risk adolescents, perceived norms affecting, 736–743
protective behavioral strategies and anxiety in problematic drinking among college students, role of, 413–420
sexual-minority women, risk of hazardous drinking, depression, and anxiety for, 565–573
unhealthy lifestyle choices affecting college drinkers, 787–793
Anxiety sensitivity, 469–477
Anxiety Sensitivity Index (ASI), 471
Apolipoprotein E receptor 2 (*APOER2*), 622–525
Articulated Thoughts in Simulated Situations (ATSS), 95
Asian American young adults and problem drinking, 532–539
Assaults, alcohol outlet densities and violent, 50–58
Athletics
adolescent athletic participation and nonmedical Adderall use, 714–718
risky drinking, college students' participation in intercollegiate athletics and, 21–28
ATLAS.ti Version 5.0, 199
AUDIT (Alcohol Use Disorders Identification Test), 97, 99–101, 142, 214, 215, 219, 234, 311, 636, 771–773, 775–776, 811, 925, 943, 951
AUDIT-C (Alcohol Use Disorders Identification Test–consumption), 428, 430, 434, 510, 511–512, 773, 775
AUDs. *See* alcohol use disorders
AUQ (Alcohol Urge Questionnaire), 799
Australian population and cannabis use disorders, 614–620
Australian Twin Registry, 665, 704

Barratt Impulsiveness Scale, 115
Bars, violent assaults, and alcohol outlet densities, 50–58
Basal HRV and unhealthy lifestyle choices for college drinkers, 787–793
Bayesian Information Criterion (BIC), 86, 200, 226, 545, 730, 782
Bayesian Space–Time Misalignment Poisson model, 52–54
Beck Anxiety Inventory (BAI), 142
Beck Anxiety Inventory–II (BAI-II), 789
Beck Depression Inventory (BDI), 462
Beck Depression Inventory–II (BDI-II), 789
Beer pong (drinking game), 329–335
Behavioral control, severity of AUD and, 141–149
Behavioral Undercontrol Questionnaire, 911
Bernoulli model for binary data, 44
Bias potential with informed consent in substance use studies, 931–939
Bidirectional acculturation model, 437–444
Binge eating, alcohol dependence, and compensatory behaviors, 664–672
Biphasic Alcohol Effects Scale (BAES), 799, 923–929
BIS-11, 870
Bisexuals. *See* LGBT
Bivariate analyses, 350
Black population
adolescent use of tobacco, alcohol, and marijuana, comparisons by age, gender, and race, 288–299
alcohol use and alcohol-related negative consequences among Black and White college men and women, associations between, 521–529
economic strain during 2008–2009 recession and vulnerability to alcohol problems, 9–19
Blood alcohol concentration (BAC), 34, 43, 283–285, 330–331, 335
Blood oxygenation level–dependent (BOLD) response to alcohol cues, genetic variation in alpha synuclein gene (*SNCA*) associated with, 233–243
BMI and unhealthy lifestyle choices affecting college drinkers, 787–793
Bonferroni corrections, 98, 237, 722
Bootstrapping methodology, 493
Borderline personality disorder, 457
Brazilian bank workers, job strain, hazardous drinking, and alcohol-related disorders among, 212–221
Breath alcohol concentrations (BrACs), 331, 335, 509–512, 636, 798–799
Brief alcohol intervention (BAI) for military veterans, web-delivered, 428–435

Brief Alcohol Screening and Intervention for College Students (BASICS), 413, 528
Brief Alcohol Social Density Assessment (BASDA), 810–814
Brief Symptom Inventory, 350, 448
Brief Symptom Inventory–18, 415
Brief Symptom Inventory–Global Severity Index (BSI-GSI), 371
Brief Young Adult Alcohol Consequences Questionnaire (B-YAACQ), 493, 759
Buprenorphine/naloxone (BUP), 605–612
Bystander intervention in the prevention of alcohol-impaired driving (AID), mass media campaign's effect on, 205–211

CAGE questionnaire, 880, 881
California Department of Alcohol Beverage Control, 51
California Office of Statewide Health Planning and Development, 51
Campus alcohol system model, 778–779
Cannabinoid receptor 1 (*CNR1*), 867–876
Cannabis abuse, 614
Cannabis dependence, 614
Cannabis use
  for child welfare–involved youths, 830–831
  college students, social norms affecting, 720–725
  criteria for cannabis use disorders, 614–620
  ethnicity and cannabis abuse and dependence symptoms, 320–326
  impulsivity and marijuana-related problems, 867–876
CBT (cognitive–behavioral therapy), 379, 894–899
Center for Epidemiological Studies Depression Scale (CES-D), 628, 827
Center for Substance Abuse Treatment, 259
Centers for Disease Control and Prevention (CDC), 158, 185, 223
Chicago Health and Life Experiences of Women (CHLEW), 567
Child Abuse Potential Inventory, 448
Child Behavior Checklist, 62
Child-Rearing Practices Report, 748
Child welfare–involved youths, higher rates of substance use in, 825–832
Childhood adversities as risk factor for Chinese alcoholics attempting suicide, 559–563
Childhood disinhibition, 751–753
Childhood maltreatment
  alcohol use disorders, childhood maltreatment, and treatment utilization in emerging adults, 185–192
  depression, illicit substance use, and sexual risk behavior, relationship between, 589–596
Children
  cortisol reactivity in 2-year-old children prenatally exposed to methamphetamine, 447–450
  parental socialization and children's susceptibility to alcohol use initiation, 694–701
Children of alcoholic fathers (COAs), 674–682
Children's Behavior Questionnaire, 748
Children's Depression Inventory (CDI), 591, 827
Children's Report of Parental Behavior Inventory, 687
Chinese American college students who initiate cigarette smoking during college, risk for increased alcohol involvement for, 909–915
Chinese population suicide attempts by alcoholics, childhood adversities as risk factor for, 559–563
CHOICE study, 836
Chronic and acute effects of alcohol on underage drinkers, 635–640

Cigarette use, 108–109
  adolescent use of tobacco, alcohol, and marijuana, comparisons by age, gender, and race, 288–299
  anhedonic depressive symptoms and anxiety sensitivity and nicotine withdrawal symptoms, 469–477
  college students who initiate cigarette smoking during college risk for increased alcohol involvement, 909–915
  greater demand for alcohol with, 626–632
  hangover symptoms among college students, role of tobacco smoking in, 41–48
  marijuana and tobacco co-use in young adults, 301–308
  task persistence and negative affect, 584–587
  transitional life events (TLEs) and cigarette and alcohol use during emerging adulthood, 727–734
  wearable sensor system for monitoring, 956–964
Clinical Institute Withdrawal Assessment for Alcohol scale, 799
Clubs, group influences on individual's drinking and other drug use at, 280–287
CNR1 (cannabinoid receptor 1), 867–876
Cocaine-dependent patients
  enhanced continuing care (ECC) in combination with intensive outpatient treatment for, 642–650
  psychopathological profile associated with retention of patients for 90 days in therapeutic communities, 452–458
Cocaine use, religiosity, and the odds of developing or maintaining an alcohol use disorder over time, 369–376
Cognitive–behavioral therapy (CBT), 379, 894–899
Cognitive impairment and depressive symptoms in ketamine users, 460–466
Cohort Study on Substance Use Risk Factors (C-SURF), 933
Collaborative Study on the Genetics of Alcoholism, 272, 664
College students
  affect variation and increased alcohol use, 576–582
  alcohol-related consequences, experiencing excessive, 542–549
  alcohol-related consequences measured by modified Timeline Followback (TLFB), 803–809
  alcohol use, college systems for addressing, 777–785
  alcohol use and alcohol-related negative consequences among Black and White college men and women, associations between, 521–529
  campus alcohol system model, 778–779
  cannabis use, social norms and, 720–725
  cigarette smoking initiation during college, risk for increased alcohol involvement, 909–915
  cigarette users, greater demand for alcohol in, 626–632
  drinking simulation for, 94–102
  high-risk subgroup experiencing high numbers of alcohol-related consequences, predicting membership in, 542–549
  intercollegiate athletic participation and risky drinking, 21–28
  mental health, sleep behavior, and alcohol risk in, 841–847
  negative drinking outcomes, impulsivity and, 490–497
  parent-based intervention to minimize alcohol consumption, evaluation of timing and dosage of, 30–39
  perceived norms on drinking, reliance on God, prayer and religion reducing influence of, 361–367
  pregaming and alcohol-related consequences, 757–763
  protective behavioral strategies and anxiety in problematic drinking among college students, role of, 413–420
  Simulated Drinking Game Procedure (SDGP), examining alcohol and alcohol-free versions of, 329–335
  social identity as moderator of association between perceived norms and marijuana use, 479–482

Thursday night alcohol consumption and academic load among female college students, patterns of, 941–948
tobacco smoking in hangover symptoms among college students, role of, 41–48
unhealthy lifestyle choices affecting college drinkers, 787–793
Collegiate-Simulated Intoxication Digital Elicitation (C-SIDE), 94–102
Combat Exposure Scale (CES), 919
Combined heroin and opioid users, 605–612
Combined Pharmacotherapies and Behavioral Interventions for Alcohol Dependence (COMBINE), 152–153
Communities That Care Youth Survey, 398
Community service (CS) influence on self-report of alcohol use, 770–776
Comparative fit index (CFI), 63, 688, 805
Compensatory behaviors, alcohol dependence, and binge eating, 664–672
Compliance checks decreasing sales of alcohol at neighboring establishments, 852–858
Complying with the Minimum Drinking Age (CMDA), 852–853
Composite International Diagnostic Interview (CIDI), 213, 214–215, 219, 560
Concerned other person (CO), 965
Conditional autoregressive (CAR) random effects, 52–54
Condom Use Outcome Beliefs scale, 225–226
Confirmatory factor analysis (CFA), 322, 804, 805
Conners' Adult ADHD Diagnostic Interview for DSM-IV (CAADID), 454
Consolidated Framework for Implementation Research, 603
Consolidated Standards of Reporting Trials (CONSORT) Statement, 890
Core Institute's Campus Assessment of Alcohol and Other Drug Norms, 721
Correspondence
"Methodology May Exaggerate a Beneficial Effect of Drinking with Parents," 353†
Methoxetamine misuse and toxicity, 816–817†
NBOMe series (hallucinogenic drugs), 977–978†
Protective Effects of Drinking With Parents in Youth: The Authors Respond, 354–355†
Cortisol reactivity in 2-year-old children prenatally exposed to methamphetamine, 447–450
Country-specific patterns and informal social controls on drinking, 859–866
Craving, 797
for alcohol, 797–801
DAQ used to measure components of, 950–955
severity of alcohol problem and, 950–955
Cronbach's coefficient alpha, 371, 828
Cross-lagged regression panel analysis, 378–384
Cultural influences on drinking, 532–539

Daily Drinking Questionnaire (DDQ), 34, 86, 170, 225, 331, 363, 415, 523–524, 544, 628, 844
Deidentification (sibling differentiation), 110
Delay Discounting Questionnaire, 867, 870
Demand-control model, 212
Dependence syndrome, 5
Deployment Risk and Resilience Inventory, 919
Depression
alcohol use and, 566
anhedonic depressive symptoms, anxiety sensitivity and nicotine withdrawal symptoms, 469–477
childhood maltreatment, depression, illicit substance use, and sexual risk behavior, 589–596
family conflict and heavy alcohol use among adolescent girls, depressed mood and, 396–403
ketamine users, cognitive impairment and depressive symptoms in, 460–466
major depressive episodes (MDEs) and alcohol use disorders (AUDs), 271–278
mental health symptoms and drinking among at-risk adolescents, perceived norms affecting, 736–743
sexual-minority women, risk of hazardous drinking, depression, and anxiety for, 565–573
substance-induced depression, independent depressive episodes (IDEs), and alcohol use disorders (AUDs), 271–278
unhealthy lifestyle choices affecting college drinkers, 787–793
Depression Anxiety Stress Scale (DASS-21), 843
Designated drivers (DD), breath alcohol concentrations (BrACs) of, 509–512
Desires for Alcohol Questionnaire (DAQ), 787–793, 950–955
Detrimental drinking pattern (DDP), 533, 535
Developmental prediction model for early alcohol initiation in Dutch adolescents, 59–68
Diagnostic and Statistical Manual of Mental Disorders, 5
Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (DSM-5), 320, 603
cannabis use disorder, proposed criteria for, 614–620
changes in, 661–663*
gambling disorder moved to same section as substance-related disorders in, 662*
redundant or rarely endorsed items, removal of, 662*
substance-induced psychiatric syndromes, expansion of, 662*
substance use disorders, criteria for, 661–662*
Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition, Text Revision (DSM-IV-TR), 214, 247, 515, 606
Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV), 214, 272, 388, 407, 534, 560, 643
alcohol abuse and dependence symptoms, 11, 676, 895
cannabis use disorders and revision to fifth edition (DSM-5), 614–620
conduct disorder symptoms, 705
criteria for past-year alcohol or illicit drug abuse or dependence, 71
inhalant dependence, 835
revision to fifth edition (DSM-5), 614–615, 661–663*
Diagnostic and Statistical Manual of Mental Disorders, Third Edition, Revision (DSM-III-R), 137, 665–666
Diagnostic and Statistical Manual of Mental Disorders, Third Edition (DSM-III), 686
Diagnostic Interview Schedule, 137
Diagnostic Interview Schedule, Version IV, 687
Differential item functioning (DIF), 321–326
Dop system of alcohol distribution, 879–880
Drinking games, 94, 101, 329–330
beer pong, 329–335
Simulated Drinking Game Procedure (SDGP), examining alcohol and alcohol-free versions of, 329–335
Drinking Motives Questionnaire (DMQ), 121, 811, 844
Drinking Norms Rating Form, 95, 98, 363, 767
Drinking Problems Scale, 903
"Drinking-to-cope" hypothesis, 212, 220
Driving while alcohol impaired

bystander intervention in the prevention of alcohol-impaired driving (AID), mass media campaign effect on, 205–211
designated drivers (DD), breath alcohol concentrations (BrACs) of, 509–512
impulsivity and drunk driving, 114–119
Dropout in outpatient treatment program for problem drinking, predictors of, 894–899
Drug-Free Schools and Communities Act, 591
Drug Use and Health Survey, 185
Drug use patterns and continuous enrollment in college, 71–81
Drunk driving and impulsivity, 114–119
DSM-5 Substance-Related Disorders Work Group, 614, 661,* 662*
Dutch adolescents, developmental prediction model for early alcohol initiation in, 59–68
Dysregulation Inventory, 74

Early alcohol initiation. *See* alcohol use initiation
Early Social Communication Scales (ESCS), 448
Eating disorders, alcohol dependence, and compensatory behaviors, 664–672
Economic strain on racial/ethnic minorities during 2008–2009 recession and vulnerability to alcohol problems, 9–19
Editor's Corner: DSM-5, changes in, 661–663*
Edwards, James Griffith (1928–2012), "in memoriam," 5–6
EFA (exploratory factor analysis), 322
Effortful control in early adolescence, fathers' alcohol problems affect development of, 674–682
Electronic health records (EHRs), 599–603
Emergency ambulance services, patient characteristics and patterns of intoxication, one-time and repeated use of, 484–489
Emerging adults, 185, 727. *See also* college students
BASDA used to measure social network alcohol use, 810–814
childhood maltreatment, alcohol use disorders, and treatment utilization in emerging adults, 185–192
patterns of alcohol use and related consequences in non-college-attending emerging adults, 84–92
predictors of risky alcohol use among noncollege emerging adults, 765–768
transitional life events (TLEs), cigarette and alcohol use during, 727–734
Emotional dysregulation and alcohol use for college students, 576–582
Enhanced continuing care (ECC) in combination with intensive outpatient treatment for cocaine-dependent patients, 642–650
Error monitoring, 141–149
Ethnic differences. *See* racial/ethnic differences
European Americans
cannabis abuse and dependence symptoms of, 320–326
parental separation, alcoholism and timing of, 337–346
European Comparative Alcohol Survey (ECAS), 860
Event-related potential (ERP), 245–247
Exome-wide association of replicable nonsynonymous variants as risk for alcohol dependence, 622–625
"Expanding Comprehensive Community Interventions to Reduce Alcohol-related Injuries and Other Problems," 778
Expectancies about alcohol
group influences on individual's drinking and other drug use at clubs, 280–287
patterns of alcohol use and expectancies predict sexual risk taking among non–problem drinking women, 223–230
Exploratory factor analysis (EFA), 322

Eysenck Personality Questionnaire, 115, 120, 568

Fagerström Test for Nicotine Dependence (FTND), 74, 303, 470, 586, 607, 628
Family
alcohol-specific parenting as predictor of adolescent alcohol use initiation, 684–692
causal influence of age at first drink on alcohol involvement in adulthood and its moderation by familial context, 703–712
conflict in families and heavy alcohol use among adolescent girls, depressed mood and, 396–403
early risk factors for alcohol use across high school and its covariation with deviant friends, 746–754
fathers' alcohol problems affect development of effortful control in early adolescence, 674–682
histories of alcoholism in families, N-methyl-D-aspartate (NMDA) receptor function in individuals with and without, 245–256
informal social controls on drinking, 859–866
inhalant initiation risks for middle school students, 835–838
parental socialization and children's susceptibility to alcohol use initiation, 694–701
sibling influence on substance use, 104–111
Family Coercion Theory, 396
Family Health History Questionnaire, 560
Family History Assessment Module (FHAM), 247, 407
Family history-negative (FHN), 245–247
Family history-positive (FHP), 245–247
Family History Research Diagnostic Criteria, 675
Family Systems Theory, 396
Family Twin Study (FTS), 137
Father's alcohol problems affecting development of effortful control in early adolescence, 674–682
Fatty acid amide hydrolase (*FAAH*) genes, 867–876
Female-to-male personal violence (FMPV), 198–203
Fetal alcohol spectrum disorders (FASD), 886
Fetal alcohol syndrome (FAS), 886
First drink, alcohol involvement in adulthood and early age at, 703–712
Five-Factor Model of personality, 120
Form 90, 516
Former Soviet Union (fSU) immigrant drinking patterns, 437–444
FRAMES counseling approach, 313
Functional Magnetic Resonance Imaging of the Brain (FMRIB), 144

Gays. *See* LGBT
Gender, Alcohol and Culture: An International Study (GENACIS), 859–866
Gender and Cross-Cultural Issues Study Group, 320
Gender differences
adolescent use of tobacco, alcohol, and marijuana, comparisons by age, gender, and race, 288–299
alcohol dependence, binge eating, and compensatory behaviors, 664–672
alcohol use and alcohol-related negative consequences among Black and White college men and women, associations between, 521–529
developmental prediction model for early alcohol initiation in Dutch adolescents, 59
economic strain during recession and vulnerability to alcohol problems among Black and Latino populations, 16–17

family conflict and heavy alcohol use among adolescent girls, depressed mood and, 396–403
fathers' alcohol problems affect development of effortful control in early adolescence, 674–682
informal social controls on drinking, 859–866
pregaming and alcohol-related consequences, 757–763
General Alcoholics Anonymous Tools of Recovery (GAATOR), 516
General Social Survey, 371
Generalized Anxiety Disorder 7 (GAD-7), 170
Generalized anxiety disorder (GAD) and alcohol use relationship among lesbian and bisexual women, protective behavioral strategies as mediator of, 168–173
Generalized estimating equations (GEE), 372
Genetic risk
for early alcohol initiation in Dutch adolescents, 66–68
for vulnerability to alcohol dependence, binge eating, and compensatory behaviors, 670–672
Genetic variation in alpha synuclein gene (*SNCA*) associated with blood oxygenation level–dependent (BOLD) response to alcohol cues, 233–243
Girls, depressed mood, family conflict and heavy alcohol use among adolescent, 396–403
Glasgow Coma Scale, 485
Global Severity Index, 448
Go/No Go trials, 144–149
Gross, Milton, 5
Group Climate Questionnaire–short form (GCQ-S), 772

Hallucinogenic drugs, 977–978†
Hangover symptoms among college students, role of tobacco smoking in, 41–48
Hangover Symptoms Scale, 43
Hangovers, 41
Hardy–Weinberg Equilibrium (HWE), 870
Hartford Hospital, 247
Hartford Hospital's Institute of Living, 247
Harvard Drug Study (HDS), 137
Harvard School of Public Health College Alcohol Study, 780
Hazardous drinking (HZD), 212–213
job strain, hazardous drinking, and alcohol-related disorders among Brazilian bank workers, 212–221
sexual-minority women, risk of hazardous drinking, depression, and anxiety for, 565–573
Health and Daily Living Form, 968–969
Health Management Organization (HMO), 214
The Health of Lesbian, Gay, Bisexual, and Transgender People: Building a Foundation for Better Understanding (Institute of Medicine), 565
Heart rate variability (HRV) and unhealthy lifestyle choices for college drinkers, 787–793
Heavy alcohol use
cigarette users, greater demand for alcohol in college students who are, 626–632
family conflict and heavy alcohol use among adolescent girls, depressed mood and, 396–403
Heavy drinking (HD), 91
Heavy episodic drinking (HED), 91
drunk driving affected by, 114–119
first-year college students, 85
high school seniors, 85
Heavy marijuana use, 479–482
Heavy Smoking Index (HSI), 303
Hepatitis C virus (HCV), 266–269
predictors of alcohol use among rural drug users after disclosure of hepatitis C virus (HCV), 386–393
risky alcohol use and serum aminotransferase levels in HIV-infected adults with and without hepatitis C, 266–269
Heroin users, 605–612
Hierarchical linear model (HLM), 749, 759
High-risk subgroup experiencing high numbers of alcohol-related consequences, predicting college students' membership in, 542–549
High-school-educated emerging adults, patterns of alcohol use and related consequences in, 84–92
High school students, early risk factors for alcohol use across, 746–754
Higuchi fractal dimension (HFD), 249
HIV-infected adults, risky alcohol use and serum aminotransferase levels in, 266–269
HIV patients and alcohol consumption, 500–503
HIV risk behaviors
HIV-positive gay and bisexual men at party-oriented vacations, risk behaviors among, 158–164
patterns of alcohol use and expectancies predict sexual risk taking among non–problem drinking women, 223–230
HLM Version 6, 516
Home Access test for HCV antibody, 388
Huber–White robust variance estimator, 340
Hypothalamic–pituitary–adrenal (HPA) axis, 447–450

ICD-10, 214, 215, 797
Illicit substance use, childhood maltreatment, depression, and sexual risk behavior, 589–596
Immigrant drinking patterns, 437–444
Impaired Control Scale, failed control subscale (ICSfc), 234
Impaired Control Scale (ICS), 142
Impaired-functioning model, 566
Implicit Association Task (IAT), 924, 925–926, 928
Impulsivity
and drunk driving, 114–119
and marijuana-related problems, 867–876
negative drinking outcomes, impulsivity and, 490–497
In memoriam
Harold A. (Hal) Mulford, 1922–2012, 7–8
James Griffith Edwards, 1928–2012, 5–6
Independent depressive episodes (IDEs), substance-induced depression, and alcohol use disorders (AUDs), 271–278
Infant Development, Environment, and Lifestyle (IDEAL) study, 448
Informal social controls on drinking, 859–866
Informed consent in substance use studies, 931–939
Infrequency Scale, 722
Inhalant use
for child welfare–involved youths, 831
inhalant initiation risks for middle school students, 835–838
Initiation of alcohol use. *See* alcohol use initiation
Injection drug users (IDUs), 386–387
Institute for Survey Research, 137
Institute of Medicine (IOM), 778
Intensive Multivariate Prospective Alcohol College-Transitions Study (IMPACTS), 22
Intensive outpatient program (IOP) in combination with enhanced continuing care (ECC) for cocaine-dependent patients, 642–650
Interactive voice response (IVR) systems used for support for problem drinkers, 902–907

International Statistical Classification of Diseases and Related Health Problems, 10th Revision (ICD-10), 214, 215, 797
Interventions
Brief Alcohol Screening and Intervention for College Students (BASICS), 413
parent-based intervention to minimize alcohol consumption by college students, evaluation of timing and dosage of, 30–39
Tailored Goal Oriented Community Brief Intervention (TGCBI) to reduce alcohol consumption among risky drinkers in Thailand, effectiveness of, 311–318
web-delivered brief alcohol intervention (BAI) for military veterans, 428–435
Intimate partner violence (IPV), 195–197
Iowa Alcoholic Stages Index, 7
Israel, immigrant drinking patterns in, 437–444
Israel Center for Disease Control, 438
Israeli National Health Interview Survey (INHIS), 438–439
Item response theory (IRT), 320–326

Jessor's Value on Religion Scale, 363
Job Content Questionnaire (JCQ), 203, 213–214, 220
Job strain, hazardous drinking, and alcohol-related disorders among Brazilian bank workers, 212–221

Kaiser–Meyer–Olkin (KMO) measure, 951
Kaplan–Meier failure curves, 340
Kessler Psychological Distress Scale, 616
Ketamine, 460
Ketamine users, cognitive impairment and depressive symptoms in, 460–466
Kish Grid method, 11
Knowledge Networks (KN), 85–86, 92, 766–767
Korean American college students who initiate cigarette smoking during college, risk for increased alcohol involvement for, 909–915

Latent class analysis (LCA), 85, 86–87, 728, 730, 782–783, 942
Latent growth mixture modeling (LGMM), 728–729, 730
Latent profile analysis, 226
Latent transition analysis (LTA), 31, 34–37, 85
Latino population, economic strain during 2008–2009 recession and vulnerability to alcohol problems in, 9–19
Law enforcement compliance checks decreasing sales at neighboring establishments, 852–858
Lesbians. *See* LGBT
LGBT
protective behavioral strategies as mediator of generalized anxiety and alcohol use relationship among lesbian and bisexual women, 168–173
risk behaviors among HIV-positive gay and bisexual men at party-oriented vacations, 158–164
sexual identity formation, 566–567
sexual-minority women, risk of hazardous drinking, depression, and anxiety for, 565–573
Lifestyle Interview, 448
Lifetime Drinking History (LDH), 137–138
Lightspeed Research, 206
Likelihood ratio test (LRT), 35, 86–87
Likert scale, 107, 303, 399, 516, 951
Linear mixed-effects models (LMM), 472
Little's Missing Completely at Random test, 749
Lo–Mendell–Rubin likelihood ratio (LMRLR), 730
Lo–Mendell–Rubin test (LMR), 226, 545
Longitudinal studies
alcohol-related consequences, college students experiencing excessive, 542–549
drug use patterns and continuous enrollment in college, 71–81
family conflict and heavy alcohol use among adolescent girls, depressed mood and, 396–403
ketamine users, cognitive impairment and depressive symptoms in, 460–466
Michigan Longitudinal Study, 675, 681
National Longitudinal Study of Adolescent Health, 534, 751, 827–828
sexual-minority women, risk of hazardous drinking, depression, and anxiety for, 565–573
Thursday night alcohol consumption and academic load among female college students, patterns of, 941–948
urban American Indians and 12-step programs, 514–520
Young in Norway Longitudinal Study, 115

Major depressive episodes (MDEs) and alcohol use disorders (AUDs), 271–278
Male-to-female personal violence (MFPV), 197–203
Mann–Whitney *U* test, 388, 896
Marijuana Effect Expectancy Questionnaire (MEEQ), 721
Marijuana Motives Measure, 721
Marijuana Problems Scale (MPS), 721, 870
Marijuana use, 109–110
adolescent use of tobacco, alcohol, and marijuana, comparisons by age, gender, and race, 288–299
heavy marijuana use, 479–482
impulsivity and marijuana-related problems, 867–876
social identity as moderator of association between perceived norms and marijuana use, 479–482
tobacco and marijuana co-use in young adults, 301–308
Marital conflict and parental separation, alcoholism and timing of, 337–346
Markov Chain Monte Carlo (MCMC) iterations, 53
Matthews and Miller formula for BAC estimation, 43
McMaster Family Assessment Device, 63
Media campaign's effect on bystander intervention in the prevention of alcohol-impaired driving (AID), 205–211
Medical Outcomes Study Social Support questionnaire, 371
Medications
for AUDs in primary care settings, 598–604
physicians and medications for the treatment of SUDs between publicly and privately funded treatment programs, disparities in access to, 258–264
self-medication hypothesis, 168, 566, 736
stimulant medications, adolescent athletic participation and, 714–718
Memantine, effects of, 245–256
Mental health
and alcohol use, 841–842
and drinking motives on alcohol outcomes, 842
and sleep, 842
sleep behavior, and alcohol risk in college students, 841–847
symptoms and drinking among at-risk adolescents, perceived norms affecting, 736–743
Mental Health Inventory (MHI-5), 738–739
Methadone, 605–612
Methamphetamine use
cortisol reactivity in 2-year-old children prenatally exposed to methamphetamine, 447–450

stimulant use, religiosity, and the odds of developing or maintaining an alcohol use disorder over time, 369–376
"Methodology May Exaggerate a Beneficial Effect of Drinking with Parents," 353†
Methoxetamine misuse and toxicity, 816–817†
Michigan Alcoholism Screening Test, 903
Michigan Longitudinal Study, 675, 681
Middle school students, inhalant initiation risks for, 835–838
Midlife, link between psychiatric morbidity and problem drinking in, 136–139
Midwestern Prevention Project, 729
Military, anonymity in reporting alcohol misuse in the, 917–921
Military veterans, web-delivered brief alcohol intervention (BAI) for, 428–435
Mini-International Neuropsychiatric Interview, 388
Mini-Mental State Examination, 560
Minnesota Nicotine Withdrawal Scale (MNWS), 470–471
Missing completely at random (MCAR) test, 415
Missouri Adolescent Female Twin Study, 338, 407
Modified Verbal Fluency Test, 462
Monitoring the Future study, 91, 106, 361, 715
Mood and Anxiety Symptom Questionnaire–anhedonic depression subscale (MASQ-AD), 471
Mood and Anxiety Symptom Questionnaire (MASQ), 471
Motivational enhancement therapy (MET), 379
Motivational interviewing (MI), 770–776
Motivational Model of Alcohol Use, 121
Mplus, 525, 677
  Version 5.0, 493
  Version 5.2, 416
  Version 5.21, 63
  Version 6.0, 226, 569, 688
  Version 6.1, 805
  Version 7, 578
Mulford, Harold A. (Hal) Mulford (1922–2012), "in memoriam," 7–8
Multidimensional Personality Questionnaire, 407
Multilevel models. *See* linear mixed-effects models
Multiple indicators multiple causes (MIMIC) models, 323
Mutations, silent, 622
Mx, 666

N-methyl-D-aspartate (NMDA) receptor function in individuals with and without family histories of alcoholism, 245–256
Naltrexone, 894–899
Narcotics Anonymous (NA), 349
Narcotics Anonymous (NA), abstinence from drug use by members of, 349–352
National Alcohol Survey (NAS), 10–11
National Comorbidity Survey, 72, 186
National Drug Control Strategy, 262
National Epidemiologic Survey on Alcohol and Related Conditions, 18, 21, 72, 186–187
National Household Survey on Drug Abuse, 186
National Institute of Mental Health, 205
National Institute of Mental Health Diagnostic Interview Schedule, 568
National Institute on Alcohol Abuse and Alcoholism Division of Epidemiology and Prevention Research, 778
National Institute on Alcohol Abuse and Alcoholism (NIAAA), 30, 106, 259, 267, 428, 501, 903, 911
National Institute on Drug Abuse, 259
National Longitudinal Study of Adolescent Health, 534, 751, 827–828
National Research Council (NRC), 778
National Study of Adolescent Health, 590
National Study of Couples, 195
National Study of Health and Life Experiences of Women (NSHLEW), 567
National Survey of Child and Adolescent Well-Being (NSCAW), 591, 595, 827–828
National Survey of Families and Households, 106, 197
National Survey of Family Growth, 173
National Survey of Mental Health and Wellbeing (NSMHWB), 615
National Survey on Drug Use and Health, 73, 303
National Treatment Center Study, 259
Native Americans, cannabis abuse and dependence symptoms in, 320–326
NBOMe series (hallucinogenic drugs), 977–978†
Negative affect (NA), 120, 152–153, 155–156, 584–587
Negative drinking outcomes, impulsivity and, 490–497
Negative life events, suicidal ideation (SI) in young women, co-occurrence of AUDs and, 406–411
Neglect and AUDs, 186
NEO Five-Factor Inventory, 74, 120
NEO Personality Inventory, 407
Netherlands, permissive alcohol laws in, 59
Network of Relations Inventory, 687
Network Relationship Inventory, 107
Nicotine use. *See* cigarette use
Noncollege emerging adults
  patterns of alcohol use and related consequences in, 84–92
  predictors of risky alcohol use among, 765–768
Nonparametric Mann–Whitney *U* tests, 304
Norms, perceived. *See* perceived norms
Norway, drunk driving and impulsivity in, 114–119
ns single-nucleotide polymorphisms (nsSNPs), 622–625

Obsessive–Compulsive Drinking Scale (OCDS), 154, 896
Opioid analgesic (OA) users, 605–612
Opioid dependence, 605–612
Opioid replacement therapy (ORT), 605–612
Opioid use disorders (OUDs), 258–259
Opt-in panel, 206
Outpatient treatment programs for problem drinking, predictors of dropout in, 894–899
OxyContin, 392

Pacific Institute for Research and Evaluation Institutional Review Board (IRB), 197
Papsak wine consumption among farm workers in the Western Cape, South Africa, 879–887
Parents
  adolescent use of tobacco, alcohol, and marijuana, comparisons by age, gender, and race, 288–289
  alcohol-specific parenting as predictor of adolescent alcohol use initiation, 684–692
  "Methodology May Exaggerate a Beneficial Effect of Drinking with Parents," 353†
  parent-based intervention (PBI) to minimize alcohol consumption by college students, evaluation of timing and dosage of, 30–39
  "Protective Effects of Drinking With Parents in Youth: The Authors Respond," 354–355†
  separation, alcoholism and timing of parental, 337–346

socialization and children's susceptibility to alcohol use initiation, 694–701
Partner violence, work stressors, alcohol, and normative beliefs contributing to, 195–203
PASW Statistics 18.0 software, 896
Patient characteristics and patterns of intoxication, one-time and repeated use of emergency ambulance services, 484–489
Patient Health Questionnaire–9 (PHQ-9), 371
Pearson correlations, 43, 586
Peer influence
BASDA used to measure social network alcohol use, 810–814
early risk factors for alcohol use across high school and its covariation with deviant friends, 746–754
on individual's drinking and other drug use at clubs, 280–287
informal social controls on drinking, 859–866
inhalant initiation risks for middle school students, 835–838
perceived norms on drinking, reliance on God, prayer, and religion reducing influence of, 361–367
Perceived norms
affecting mental health symptoms and drinking among at-risk adolescents, 736–743
reliance on God, prayer, and religion reducing influence of perceived norms, 361–367
social identity as moderator of association between perceived norms and marijuana use, 479–482
work stressors, and alcohol contributing to partner violence, 195–203
Perceived Stress Scale (PSS), 153
Persistence and negative affect, 584–587
Personal Automatic Cigarette Tracker (PACT), 956–964
Personality
borderline personality disorder, 457
Eysenck Personality Questionnaire, 115, 120, 568
Five-Factor Model of personality, 120
Multidimensional Personality Questionnaire, 407
NEO Personality Inventory, 407
Type D personality and alcohol dependence, 120–123
Zuckerman–Kuhlman Personality Questionnaire Short Form, 74
Physicians and medications for the treatment of SUDs between publicly and privately funded treatment programs, disparities in access to, 258–264
Pittsburgh Sleep Quality Index (PSQI), 844
Poisson regression results, 527
Positive affect (PA) and stress reactivity in alcohol-dependent outpatients, 152–156
Positive and Negative Affect Schedule–Expanded Form, 578
Positive and Negative Affect Schedule (PANAS), 585
Posttraumatic stress disorder checklist–military version (PCL-M), 430, 919
Posttraumatic stress disorder (PTSD), 430, 434
Practice Partner Research Network–Translating Research into Practice (PPRNet-TRIP), 598–604
Prayer, reliance on God, and religion reducing influence of perceived norms on drinking, 361–367
Pregaming and alcohol-related consequences, 757–763
Prenatal alcohol exposure, 60
Prenatal methamphetamine exposure (PME), 447–450
Pride Survey, 290
Primary care settings, alcohol SBI in, 598–604
Principal component analyses (PCAs), 951
Privately funded treatment programs, 258–264
Profile of Mood States (POMS), 153
Project INTEGRATE, 523
Project MATCH (Matching Alcoholism Treatments to Client Heterogeneity), evaluating Alcoholics Anonymous's effect on drinking within, 378–384
Protective behavioral strategies (PBS)
and anxiety in problematic drinking among college students, 413–420
as mediator of generalized anxiety and alcohol use relationship among lesbian and bisexual women, 168–173
Protective Behavioral Strategies Scale, 170
Protective Behavioral Strategies Survey (PBSS), 415
Psychiatric Research Interview for Substance and Mental Disorders (PRISM), 453, 454
Psychopathological profile associated with retention of patients for 90 days in therapeutic communities, 452–458
Publicly funded treatment programs, 258–264

Quantisal collection device, 281
Quantity/Frequency/Peak Alcohol Use Index, 363
Quantity/Frequency/Peak Questionnaire, 34, 86, 544, 767

Racial/ethnic differences
adolescent use of tobacco, alcohol, and marijuana, comparisons by age, gender, and race, 288–299
alcohol use and alcohol-related negative consequences among Black and White college men and women, associations between, 521–529
cannabis abuse and dependence symptoms, 320–326
country-specific patterns and informal social controls on drinking, 859–866
drinking cultures, 532–539
economic strain during 2008–2009 recession and vulnerability to alcohol problems, 9–19
parental separation, alcoholism and timing of, 337–346
urban American Indians and 12-step programs, 514–520
RAND Adolescent/Young Adult Panel Study, 738
Random-coefficient models. *See* linear mixed-effects models
Randomized clinical trials (RCTs), 889–892
RAND's PartyIntents study, 159
Reactive HRV and unhealthy lifestyle choices for college drinkers, 787–793
Recession of 2008–2009, vulnerability to alcohol problems owing to economic strain on Black and Latino populations during, 9–19
Reducing Underage Drinking: A Collective Responsibility (National Research Council and Institute of Medicine), 778
Religion
perceived norms on drinking, reliance on God, prayer, and religion reducing influence of, 361–367
stimulant use, religiosity, and the odds of developing or maintaining an alcohol use disorder over time, 369–376
Repeated measures analysis of variance (RMANOVA), 249–250
Resiliency theory, 126
Response-driven sampling, 370
Response inhibition, 141–149
Retention of patients for 90 days in therapeutic communities, psychopathological profile associated with, 452–458
Rey–Osterrieth Complex Figure test, 462
Reynard Diagnostic Interview for DSM-III-R, 273
Risk Behavior Survey, 607
Risk behaviors among HIV-positive gay and bisexual men at party-oriented vacations, 158–164
Risky alcohol use

among noncollege emerging adults, predictors of, 765–768
college students' participation in intercollegiate athletics and, 21–28
and serum aminotransferase levels in HIV-infected adults with and without hepatitis C, 266–269
Tailored Goal Oriented Community Brief Intervention (TGCBI) to reduce alcohol consumption among risky drinkers in Thailand, effectiveness of, 311–318
Risky single-occasion drinking (RSOD), 934
Root mean square error of approximation (RMSEA), 63, 688, 805
Rural drug users
predictors of alcohol use among rural drug users after disclosure of hepatitis C virus (HCV), 386–393
stimulant use, religiosity, and the odds of developing or maintaining an alcohol use disorder over time, 369–376
Rutgers Alcohol Problem Index (RAPI), 331, 523, 803, 804, 844
Rutgers Health and Human Development Project Alcohol and Drug Use Questionnaire, 789

San Diego Prospective Study, 272
SAS
Version 9.1, 783
Version 9.2, 268, 615, 705
Version 9.3, 363, 579, 602, 772
Satisfaction with Life Scale, 63
Screening and brief intervention (SBI), 598–604
Sedative and stimulant effects of alcohol, 923–929
Self-Categorization Theory, 479–480
Self-control strength theory, 584–587
Self-medication hypothesis, 168, 566, 736
Self-Rating of the Effects of Alcohol (SRE), 273, 924
Self-regulation, 674–682
Self-report of alcohol use, treatment influence on, 770–776
Self-Report of Close Friends, 749
Semi-Structured Assessment for the Genetics of Alcoholism–Australian modified version (SSAGA-OZ), 665–666, 705
Semi-Structured Assessment for the Genetics of Alcoholism (SSAGA), 273, 321–322, 338, 407
Semi-Structured Assessment for the Genetics of Alcoholism (SSAGA-II), 338
Serum aminotransferase levels in HIV-infected adults with and without hepatitis C, risky alcohol use and, 266–269
Serum aspartate aminotransferase (AST), 266–269
Severity of Alcohol Dependence Questionnaire (SADQ), 121, 560
Severity of alcohol problem and craving, 950–955
Severity of AUD and behavioral control, 141–149
Severity of Dependence Scale, 461, 466
Sexual Experiences Inventory, 225
Sexual-minority women, risk of hazardous drinking, depression, and anxiety for, 565–573
Sexual risk behavior
among HIV-positive gay and bisexual men at party-oriented vacations, 158–164
childhood maltreatment and depression, illicit substance use, and sexual risk behavior, 589–596
patterns of alcohol use and expectancies predicting sexual risk taking among non–problem drinking women, 223–230
Sexually transmitted infections (STIs), 223–230
Short Form 36-Item Health Survey, 607
Short Form–12 (SF-12), 430
Short Inventory of Problems (SIP), 430
Sibling differentiation (deidentification), 110
Sibling influence on substance use, 104–111
Silent mutations, 622
Simulated drinking for college students, 94–102
Simulated Drinking Game Procedure (SDGP), examining alcohol and alcohol-free versions of, 329–335
Single nucleotide polymorphisms (SNPs), 867–876
Size-Adjusted Bayesian Information Criterion (SABIC), 322–323
Sleep behavior
and alcohol outcomes, 842–843
mental health, sleep behavior, and alcohol risk in college students, 841–847
and mental health, 842
Smoking Consequences Questionnaire–short form (S-SCQ), 303
Smoking Decisional Balance, 303
Smoking History Questionnaire (SHQ), 470
Smoking Stages of Change Questionnaire, 303
Social cognitive theory, 281
Social controls on drinking, informal, 859–866
Social Developmental Theory, 396
Social drinking, 224
Social identity as moderator of association between perceived norms and marijuana use, 479–482
Social Identity Theory, 479–480
Social inhibition (SI), 120
Social Interaction Anxiety Scale, 804
Social network analysis (SNA), 810–811
Social norms affecting cannabis use by college students, 720–725
Sociosexual Orientation Inventory, 225
South Africa, papsak wine consumption among farm workers in the Western Cape of, 879–887
SPSS
Version 11.5.2, 455
Version 16, 314
Version 17, 870
Version 18, 282
Version 19, 322
Version 20, 350, 525
Stata, 407, 535
Version 8.2, 881
Version 10.0, 12, 501
Version 11, 399
Version 11.1, 485
Version 12.0, 388
State persistence, 584–587
Statistics Netherlands, 62
Stimulant and sedative effects of alcohol, 923–929
Stimulant medications, adolescent athletic participation and, 714–718
Stimulant use, religiosity, and the odds of developing or maintaining an alcohol use disorder over time, 369–376
Stop-Signal Reaction Time (SSRT), 676–677, 681
Stop Signal Task, 870
Stress reactivity and positive affect in alcohol-dependent outpatients, 152–156
Stroop Color and Word Test, 462, 676
Structural equation modeling (SEM), 379, 380, 677
Structured Clinical Interview for the DSM-IV (SCID), 142, 234, 247, 560, 585, 644, 799
Student athletics
adolescent athletic participation and nonmedical Adderall use, 714–718
risky drinking, college students' participation in intercollegiate athletics and, 21–28
Subjective High Assessment Scale (SHAS), 799
Subjective Well-being Scale, 63

Substance Abuse and Health Services Utilization Assessment (SAHSUA), 371
Substance Abuse Outcomes Module (SAOM), 371
Substance dependence
  Narcotics Anonymous (NA), abstinence from drug use by members of, 349–352
  RCTs, tracking and reporting enrollment information in, 889–892
Substance-induced depression, independent depressive episodes (IDEs), and alcohol use disorders (AUDs), 271–278
Substance use
  child welfare–involved youths, higher rates of substance use in, 825–832
  informed consent in substance use studies, 931–939
  risk behaviors among HIV-positive gay and bisexual men at party-oriented vacations, 158–164
  sibling influence on substance use, 104–111
Substance use disorders (SUDs)
  physicians and medications for the treatment of SUDs between publicly and privately funded treatment programs, disparities in access to, 258–264
  psychopathological profile associated with retention of patients for 90 days in therapeutic communities, 452–458
Substance Use Inventory, 448
SUDAAN statistical software, 188, 592
Suicide
  acute alcohol use as risk factor for attempting, 552–557
  childhood adversities as risk factor for Chinese alcoholics attempting, 559–563
  suicidal ideation (SI) in young women, co-occurrence of AUDs and, 406–411
Suinn-Lew Asian Self-Identity Acculturation Scale (SL-ASIA), 911
SurveyMonkey, 98

Tailored Goal Oriented Community Brief Intervention (TGCBI) to reduce alcohol consumption among risky drinkers in Thailand, effectiveness of, 311–318
Task persistence and negative affect, 584–587
Telephone applications using interactive voice response (IVR) systems for support for problem drinkers, 902–907
Telephone monitoring and counseling (TMC), 642–643
Thai National Household Survey, 311
Thailand, Tailored Goal Oriented Community Brief Intervention (TGCBI) to reduce alcohol consumption among risky drinkers in, 311–318
Theory of Planned Behavior, 414, 419
Therapeutic communities, psychopathological profile associated with retention of patients for 90 days in, 452–458
Thursday night alcohol consumption and academic load among female college students, patterns of, 941–948
Timeline Followback Interview for Suicide Attempts (TLFB-SA), 554
Timeline Followback (TLFB), 142, 234, 303, 312, 430, 500–503, 644–646, 758, 759, 799, 803–809, 869, 911
Tobacco use. *See* cigarette use
Tower of London task, 676
Trail Making Test (TMT), 636
Trait persistence, 584–587
Transitional life events (TLEs) and cigarette and alcohol use during emerging adulthood, 727–734
Transsexuals. *See* LGBT
Treatment as usual (TAU), 429, 434–435
Treatment influence on self-report of alcohol use, 770–776
Treatment utilization, childhood maltreatment, and alcohol use disorders in emerging adults, 185–192
Tucker–Lewis index (TLI), 63, 805
Twelve-step facilitation (TSF), 378–379
12-step programs. *See also* Alcoholics Anonymous
  Al-Anon Family Groups (Al-Anon), 965–974
  urban American Indians and 12-step programs, 514–520
Twin studies
  alcohol dependence, binge eating, and compensatory behaviors, 664–672
  causal influence of age at first drink on alcohol involvement in adulthood and its moderation by familial context, 703–712
  parental separation, alcoholism and timing of, 337–346
  psychiatric morbidity and problem drinking in midlife, link between, 136–139
  suicidal ideation (SI) in young women, co-occurrence of AUDs and, 406–411
Two Item Conjoint Screen for Alcohol and Other Drugs (TICS), 919
Type D personality and alcohol dependence, 120–123
Type D Personality Scale, 121

Ubiquitin-associated protein-2 (*UBAP2*), 622–625
Underage alcohol compliance checks decreasing sales of alcohol at neighboring establishments, 852–858
Underage alcohol sales, 423–427
Underage drinking
  acute and chronic effects of alcohol on acute drinkers, 635–640
  early risk factors for alcohol use across high school and its covariation with deviant friends, 746–754
Unhealthy lifestyle choices affecting college drinkers, 787–793
Univariate analysis of variance (UNIANOVA), 250
University of Arkansas for Medical Sciences-Substance Abuse Outcomes Module (SAOM), 371
University of California, San Francisco (UCSF) Family Alcoholism Study, 321–322
University of Michigan Composite International Diagnostic Interview (UM-CIDI), 676
University of New Mexico Health Science Center Human Research Review Committee, 143
Unmatched count technique (UCT), 917–921
Unprotected sex, patterns of alcohol use and expectancies predict non–problem drinking women having, 223–230
Unprotected Sex Likelihood Behavior subscale, 225
Unprotected Sex Likelihood Outcome subscale, 225, 226
UPPS Impulsive Behavior Scale, 492
Urban American Indians and 12-step programs, 514–520
U.S. Bureau of Labor Statistics, 12
U.S. Census Bureau, 10
U.S. Department of Education, 79
U.S. Department of Housing and Urban Development, 7

Veterans. *See* military veterans
Veterans Aging Cohort Study (VACS), 501
Veterans Health Administration (VHA), 428–429
Vietnam Era Twin Registry (VETR), 137
Violence
  assaults, alcohol outlet densities and violent, 50–58
  female-to-male personal violence (MFPV), 198–203
  intimate partner violence (IPV), 195–197
  male-to-female personal violence (FMPV), 197–203
  normative beliefs, work stressors, and alcohol contributing to partner violence, 195–203
Visual Analogue Scale (VAS), 896–897